

# Safety Data Sheet

Flynap

**CAROLINA**<sup>®</sup>  
www.carolina.com

## Section 1 Product Description

**Product Name:** Flynap  
**Recommended Use:** Science education applications  
**Synonyms:** N/A  
**Distributor:** Carolina Biological Supply Company  
2700 York Road, Burlington, NC 27215  
1-800-227-1150  
**Chemical Information:** 800-227-1150 (8am-5pm (ET) M-F)  
**Chemtrec:** 800-424-9300 (Transportation Spill Response 24 hours)

## Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

**DANGER**



Highly flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. Causes damage to organs. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

### GHS Classification:

Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1, Flammable Liquid Category 2, Acute Toxicity - Inhalation Vapor Category 3, Acute Toxicity - Dermal Category 3, Hazardous to the aquatic environment - Acute Category 3, Hazardous to the aquatic environment - Chronic Category 3, Acute Toxicity - Oral Category 4

### Other Safety Precautions:

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
Use only non-sparking tools.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.

**Acute Toxicity Oral Contains**  
**Acute Toxicity Dermal Contains**

47.625 % of the mixture consists of ingredient(s) of unknown toxicity  
47.625 % of the mixture consists of ingredient(s) of unknown toxicity

## Section 3 Composition / Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>	<u>%</u>
Triethylamine	121-44-8	50
Fragrance (Neutralizer)		25
Ethanol	64-17-5	22.63
2-Propanol	67-63-0	1.25
Methanol	67-56-1	1.13

## Section 4 First Aid Measures

### Emergency and First Aid Procedures

**Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

# Safety Data Sheet

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin Contact:** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

**Ingestion:** If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## Section 5 Firefighting Procedures

**Extinguishing Media:** Use dry chemical, CO2 or appropriate foam.

**Fire Fighting Methods and Protection:** Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.  
Use water spray/fog for cooling.

**Fire and/or Explosion Hazards:** Vapors may travel back to ignition source. Closed Containers exposed to heat may explode.

**Hazardous Combustion Products:** Carbon dioxide, Carbon monoxide, Nitrogen oxides

## Section 6 Spill or Leak Procedures

**Steps to Take in Case Material Is Released or Spilled:** Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS. Clean up spills immediately using Protective Equipment recommended in Section 8 at a minimum. Ventilate the contaminated area. Evacuate the area promptly. Wear a self-contained breathing apparatus and appropriate Personal protection. (See Section 8.) Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Do not allow the spilled product to enter public drainage system or open waterways. Do not flush spill to drain.

## Section 7 Handling and Storage

**Handling:** Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep away from oxidizing materials and strong acids.

**Storage:** Keep container tightly closed. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. This material should be kept in an area suitable for the storage of flammable liquids. Store away from oxidizing agents, sparks and flame.

**Storage Code:** Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

## Section 8 Protection Information

Chemical Name	ACGIH		OSHA PEL	
	(TWA)	(STEL)	(TWA)	(STEL)
Triethylamine	1 ppm TWA	3 ppm STEL	25 ppm TWA; 100 mg/m3 TWA	N/A
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A

# Safety Data Sheet

2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m <sup>3</sup> TWA	N/A
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m <sup>3</sup> TWA	N/A

## Control Parameters

### Engineering Measures:

Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure.

### Personal Protective Equipment (PPE):

Lab coat, apron, eye wash, safety shower.

### Respiratory Protection:

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

### Respirator Type(s):

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

### Eye Protection:

Wear chemical splash goggles when handling this product. Have an eye wash station available.

### Skin Protection:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

### Gloves:

Impervious rubber, Natural latex,, Natural rubber, Nitrile, Butyl rubber, Neoprene

## Section 9

## Physical Data

**Formula:** See Section 3

**Molecular Weight:** N/A

**Appearance:** Colorless

**Odor:** Moderate Alcohol Odor Amine

**Odor Threshold:** No data available

**pH:** No data available

**Melting Point:** No data available -115 C

**Boiling Point:** 79 C

**Flash Point:** No data available -7 C

**Flammable Limits in Air:** (Triethylamine) LEL: 1.2% UEL: 8.0%

**Vapor Pressure:** (Triethylamine) 54 mmHg at 20 °C

**Evaporation Rate (BuAc=1):** >1

**Vapor Density (Air=1):** 3.5 (Triethylamine)

**Specific Gravity:** .73 (Triethylamine)

**Solubility in Water:** Soluble

**Log Pow (calculated):** No data available

**Autoignition Temperature:** No data available

**Decomposition Temperature:** No data available

**Viscosity:** No data available

**Percent Volatile by Volume:** 100%

## Section 10

## Reactivity Data

**Reactivity:**

No data available

**Chemical Stability:**

Stable under normal conditions.

**Conditions to Avoid:**

Sparks, open flame, other ignition sources, and elevated temperatures. Temperatures above flash point in combination with sparks, open flames, or other sources of ignition.

**Incompatible Materials:**

Strong oxidizing agents, Organic Peroxides, Strong acids, Oxidizing materials

**Hazardous Decomposition Products:**

Nitrogen oxides, Carbon dioxide, Carbon monoxide

**Hazardous Polymerization:**

Will not occur

## Section 11

## Toxicity Data

**Routes of Entry**

Inhalation and skin contact.

**Symptoms (Acute):**

, Eye disorders, Liver disorders, Impaired Kidney Function

**Delayed Effects:**

No data available

**Acute Toxicity:**

**Chemical Name**

Triethylamine

**CAS Number**

121-44-8

**Oral LD50**

Oral LD50 Rat 460

mg/kg

Oral LD50 Mouse

546 mg/kg

**Dermal LD50**

Dermal LD50

Rabbit 570 UL/KG

**Inhalation LC50**

Inhalation LC50

(4h) Mouse = 6000

ul/l

Inhalation LC50

(4h) Rat 7.1 MG/L

# Safety Data Sheet

2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg	Inhalation LC50 (4h) Rat 16000 MG/L
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg	Inhalation LC50 (4h) Rat 64000 MG/L

## Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
2-Propanol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed

## Chronic Effects:

<b>Mutagenicity:</b>	No evidence of a mutagenic effect.
<b>Teratogenicity:</b>	No evidence of a teratogenic effect (birth defect).
<b>Sensitization:</b>	No evidence of a sensitization effect.
<b>Reproductive:</b>	No evidence of negative reproductive effects.

## Target Organ Effects:

<b>Acute:</b>	See Section 2
<b>Chronic:</b>	Mutation data cited., Reproductive data cited., Not listed as a carcinogen by IARC, NTP or OSHA., Tumorigenic data cited.

## Section 12

## Ecological Data

<b>Overview:</b>	Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife. Harmful to fish and other water organisms.
<b>Mobility:</b>	No data
<b>Persistence:</b>	Biodegradation
<b>Bioaccumulation:</b>	No data
<b>Degradability:</b>	No data
<b>Other Adverse Effects:</b>	No data

Chemical Name	CAS Number	Eco Toxicity
Triethylamine	121-44-8	96 HR LC50 PIMEPHALES PROMELAS 43.7 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 200 MG/L
Ethanol	64-17-5	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
2-Propanol	67-63-0	96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
Methanol	67-56-1	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

## Section 13

## Disposal Information

<b>Disposal Methods:</b>	Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.
<b>Waste Disposal Code(s):</b>	Not Determined

## Section 14

## Transport Information

<b>Ground - DOT Proper Shipping Name:</b> UN2924, Flammable Liquid, corrosive, n.o.s. (contains Ethyl Alcohol, Triethylamine), 3, II Label(s) Required: FLAMMABLE LIQUID, CORROSIVE	<b>Air - IATA Proper Shipping Name:</b> Not regulated for air transport by IATA.
--	---

## Section 15

## Regulatory Information

<b>TSCA Status:</b>	All components in this product are on the TSCA Inventory.
---------------------	---

# Safety Data Sheet

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Triethylamine	121-44-8	Triethylamine	5000 lb RQ	5000 lb final RQ; 2270 kg final RQ	No	No
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	No	No	No	No	No

**California Prop 65:**

WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

## Section 16

## Additional Information

**Revised: 09/03/2014**

**Replaces: 09/03/2014**

**Printed: 09-11-2014**

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

**Glossary**

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act
N/A	Not Available	SARA	Superfund Amendments and Reauthorization Act
		TLV	Threshold Limit Value
		TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health