

CUSTOM BUILDING PRODUCTS INC -- PLASTER OF PARIS -- 5610-00N070505

===== Product Identification =====

Product ID:PLASTER OF PARIS
 MSDS Date:05/02/1995
 FSC:5610
 NIIN:00N070505
 MSDS Number: CBLYM
 === Responsible Party ===
 Company Name:CUSTOM BUILDING PRODUCTS INC
 Address:6511 SALT LAKE AVE
 City:BELL
 State:CA
 ZIP:90201
 Country:US
 Info Phone Num:213-582-0846
 Emergency Phone Num:213-582-0846
 Preparer's Name:STEVE TAYLOR
 CAGE:CUSTO

=== Contractor Identification ===

Company Name:CUSTOM BUILDING PRODUCTS
 Address:6511 SALT LAKE AVE.
 City:BELL
 State:CA
 ZIP:90201
 Country:US
 Phone:213-582-0846
 CAGE:CUSTO

===== Composition/Information on Ingredients =====

Ingred Name:PLASTER OF PARIS; (GYPSUM)
 CAS:26499-65-0
 RTECS #:TP0700000
 OSHA PEL:15 MG/M3 TDUST
 ACGIH TLV:10 MG/M3 TDUST

Ingred Name:CALCIUM CARBONATE
 CAS:1317-65-3
 RTECS #:EV9580000
 OSHA PEL:15 MG/M3 TDUST
 ACGIH TLV:10 MG/M3 TDUST

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:ACUTE:INHALATION:NUISANCE DUST, MAY
 CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. SKIN & EYE CONTACT:A
 LARGE MASS MAY CAUSE BURNS IF IN CONTACT W/SKIN WHILE HARDENING.
 SKIN ABSORPTION:MAY CAUSE IRRITATION. INGESTION:WILL HARDEN
 W/WATER. IF INGESTED MAY RESULT IN OBSTRUCTION. CHRONIC:NONE.
 Explanation of Carcinogenicity:NOT RELEVANT
 Effects of Overexposure:SEE HEALTH HAZARDS.
 Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTION:SEE MD. EYES:FLUSH W/WATER FOR AT LEAST 15 MINUTES.
IF IRRITATION PERSISTS, CONSULT MD. SKIN:FLUSH W/WATER.
INHALATION:REMOVE TO FRESH AIR.

=====
Fire Fighting Measures
=====

Extinguishing Media:MEDIA SUITABLE FOR SURROUNDING FIRE .
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SWEEP UP & PUT IN APPROVED CONTAINER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A DRY AREA. USE ADEQUATE
VENTILATION TO MINIMIZE DUST EXPOSURE.
Other Precautions:NONE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATORS FOR NUISANCE
DUSTS.
Ventilation:TO CONTROL DUST.
Protective Gloves:RUBBER OR CLOTH GLOVES.
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .
Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET
ANSI DESIGN CRITERIA .
Work Hygienic Practices:GOOD HOUSEKEEPING PRACTICES SHOULD BE USED.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Spec Gravity:2.5 (H*20=1)
Solubility in Water:SLIGHT SOLUBILITY
Appearance and Odor:LIGHT COLORED TO WHITE POWDER.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
ACIDS, ALUM, AMMONIUM SALTS, MERCURY & HYDROGEN.
Stability Condition to Avoid:ACIDS.
Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCES CALCIUM
OXIDE. REACTION W/ACIDS PRODUCE CARBON DIOXIDE.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF AS ANY INERT POWDER. DISPOSE I/A/W
FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.